



ALUTECNOS®

THE ULTIMATE BIG-GAME FISHING EQUIPMENT




made in Italy

WWW.ALUTECNOS.COM



MASTERPIECES FOR THE ART OF FISHING



Gorilla reels 1S

Gorilla reels 2S

Albacore reels 1S

Albacore reels 2S

Personalizza il tuo mulinello
Customize your reel

Gorilla 30W 2S
SMOKED **BLACK** limited edition

Mulinelli da mosca
Saltwater fly reels

Canne da pesca
Fishing rods

Componenti canne
Rods components

Fili e pinza
Lines and plier

Custodie & borse
Bags & covers

Cinture e giubbini
Belts & harnesses

Sedia da combattimento
Fighting chair

Esclusive online
Online exclusives

Servizio clienti
Customer Service

Manutenzione e riparazione
Maintenance and service

Ricambi
Spare parts

2

4

6

8

10

12

14

16

18

20

22

23

24

25

26

27

28

reels 1 s Gorilla



FEATURES:

LASER GRAPHICS

ERGONOMIC DESIGN

ONE SPEED SYSTEM

INFINITE ANTIREVERSE

4 STAINLESS STEEL BALL BEARINGS

ALUMINUM ANTICORODAL AL6082

DETAILS IN STAINLESS STEEL AISI 316

MONO DRAG DISC IN CARBON COMPOSITE

AVAILABLE BOTH RIGHT AND LEFT HAND VERSION

AVAILABLE IN 7 DIFFERENT COLORS AND CUSTOMIZED COMBINATIONS

MASTERPIECES FOR THE ART OF FISHING

CODE	RATIO	MAX DRAG	WEIGHT	LINE CAPACITY
6V	ALG0600V	6,2:1	20 LBS	22.6 OZ/640 g
				710 yds/650 m 30 LBS Spectra Line ø 0,30 mm 382 yds/350 m 50 LBS Spectra Line ø 0,38 mm 219 yds/200 m 90 LBS Spectra Line ø 0,63 mm 383 yds/350 m 12 LBS Monofilament ø 0,37 mm 240 yds/220 m 20 LBS Monofilament ø 0,47 mm
8V	ALG0800V	6,2:1	20 LBS	24.4 OZ/690 g
				1094 yds/1000 m 30 LBS Spectra Line ø 0,30 mm 492 yds/450 m 50 LBS Spectra Line ø 0,38 mm 300 yds/270 m 90 LBS Spectra Line ø 0,63 mm 550 yds/500 m 12 LBS Monofilament ø 0,37 mm 330 yds/300 m 20 LBS Monofilament ø 0,47 mm
12C	ALG1200C	4,4:1	40 LBS	26.5 OZ/750 g
				547 yds/500 m 50 LBS Spectra Line ø 0,38 mm 328 yds/300 m 90 LBS Spectra Line ø 0,63 mm 547 yds/500 m 12 LBS Monofilament ø 0,37 mm 382 yds/350 m 20 LBS Monofilament ø 0,47 mm
12V	ALG1200V	6,2:1	40 LBS	27.8 OZ/790 g
				765 yds/700 m 50 LBS Spectra Line ø 0,38 mm 875 yds/800 m 12 LBS Monofilament ø 0,37 mm 525 yds/480 m 20 LBS Monofilament ø 0,47 mm
20	ALG2000A	4,4:1	45 LBS	31.4 OZ/890 g
				1094 yds/1000m 50 LBS Spectra Line ø 0,38 mm 546 yds/500m 90 LBS Spectra Line ø 0,63 mm 985 yds/900m 20 LBS Monofilament ø 0,47 mm 437 yds/400m 30 LBS Monofilament ø 0,57 mm
20V	ALG2000V	6,2:1	45 LBS	31.7 OZ/900 g
				1094 Yds/1000m 50 LBS Spectra Line ø 0,38 mm 546 Yds/500m 90 LBS Spectra Line ø 0,63 mm 985 Yds/900m 20 LBS Monofilament ø 0,47 mm 437 Yds/400m 30 LBS Monofilament ø 0,57 mm



reels 2 s *Gorilla*



FEATURES:

LASER GRAPHICS

ERGONOMIC DESIGN

TWO SPEED SYSTEM

INFINITE ANTIREVERSE

ALUMINUM ANTICORODAL AL6082

5 STAINLESS STEEL BALL BEARINGS

DETAILS IN STAINLESS STEEL AISI 316

MULTI DRAG DISC IN CARBON COMPOSITE

AVAILABLE BOTH RIGHT AND LEFT HAND VERSION

AVAILABLE IN 7 DIFFERENT COLORS AND CUSTOMIZED COMBINATIONS

MASTERPIECES FOR THE ART OF FISHING

20V_2S	ALT2000G	6,5:1 3,4:1	45 LBS	43,7 OZ/1240 g	1094 yds/1000m 50 LBS Spectra Line ø 0,30 mm 546 yds/500m 90 LBS Spectra Line ø 0,63 mm 985 yds/900m 20 LBS Monofilament ø 0,47 mm 437 yds/400 30 LBS Monofilament ø 0,57 mm
20V/W_2S	ALT2500G	6,5:1 3,4:1	45 LBS	44.7 OZ/1267 g	765 yds/700m 90 LBS Spectra Line ø 0,63 mm 656 yds/600m 30 LBS Monofilament ø 0,57 mm
30 2S	ALT3000G	3,3:1 1,7:1	50 LBS	61.0 OZ/1730 g	765 yds/700m 90 LBS Spectra Line ø 0,63 mm 820 yds/750m 30 LBS Monofilament ø 0,57 mm 437 yds/400m 50 LBS Monofilament ø 0,68 mm
30W 2S	ALT3500G	3,3:1 1,7:1	50 LBS	62.2 OZ/1765 g	985 yds/900 m 90 LBS Spectra Line ø 0,63 mm 656 yds/600 m 30 LBS Monofilament ø 0,57 mm 525 yds/480 m 50 LBS Monofilament ø 0,68 mm
50 2S	ALT5000G	3,3:1 1,7:1	55 LBS	73.3 OZ/2080 g	930 yds/850 m 90 LBS Spectra Line ø 0,63 mm 820 yds/750 m 50 LBS Monofilament ø 0,68 mm 438 yds/400 m 80 LBS Monofilament ø 0,85 mm
50W 2S	ALT5500G	3,3:1 1,7:1	55 LBS	76.5 OZ/2170 g	1.150 yds/1050 m 90 LBS Spectra Line ø 0,63 mm 1.038 yds/950 m 50 LBS Monofilament ø 0,68 mm 525 yds/480 m 80 LBS Monofilament ø 0,85 mm



Albacore

reels



FEATURES:

LASER GRAPHICS

ONE SPEED SYSTEM

ERGONOMIC DESIGN

INFINITE ANTIREVERSE

ALUMINUM ANTICORODAL AL6082

4 STAINLESS STEEL BALL BEARINGS

DETAILS IN STAINLESS STEEL AISI 316

MONO DRAG DISC IN CARBON COMPOSITE

AVAILABLE BOTH RIGHT AND LEFT HAND VERSION

AVAILABLE IN 7 DIFFERENT COLORS AND CUSTOMIZED COMBINATIONS

MASTERPIECES FOR THE ART OF FISHING

12	AL01200A	4,0:1	20 LBS	24.7 OZ/700 g	875 yds/800m 50 LBS Spectra Line ø 0,38 mm 984 yds/900m 12 LBS Monofilament ø 0,37 mm 580 yds/530m 20 LBS Monofilament ø 0,47 mm
12 veloce	ALV1200B	6,2:1	25 Lbs	27.5 OZ/780 g	875 yds/800m 50 LBS Spectra Line ø 0,38 mm 437 yds/400m 90 LBS Spectra Line ø 0,63 mm 984 yds/900m 12 LBS Monofilament ø 0,37 mm 580 yds/530m 20 LBS Monofilament ø 0,47 mm
20	AL02000A	4,0:1	22.5 LBS	28.2 OZ/800 g	984 yds/900m 20 LBS Monofilament ø 0,47 mm 437 yds/400m 30 LBS Monofilament ø 0,57 mm
20 veloce	ALV2000B	6,2:1	22.5 LBS	29.2 OZ/830 g	984 yds/900m 20 LBS Monofilament ø 0,47 mm 437 yds/400m 30 LBS Monofilament ø 0,57 mm
30	AL03000A	3,3:1	27 LBS	53.0 OZ/1500 g	601 yds/550m 30 LBS Monofilament ø 0,57 mm 405 yds/370m 50 LBS Monofilament ø 0,68 mm
30/50	AL03500A	3,3:1	27 LBS	54.3 OZ/1540 g	820 yds/750m 30 LBS Monofilament ø 0,57 mm 525 yds/480m 50 LBS Monofilament ø 0,68 mm
50	AL05000A	3,3:1	33 LBS	65.0 OZ/1840 g	875 yds/800m 50 LBS Monofilament ø 0,68 mm 547 yds/500m 80 LBS Monofilament ø 0,85 mm
50/80	AL05500A	3,3:1	33 LBS	68.0 OZ/1930 g	1094 yds/1000m 50 LBS Monofilament ø 0,68 mm 656 yds/600m 80 LBS Monofilament ø 0,85 mm
80	AL08000A	2,8:1	44 LBS	97.0 OZ/2750 g	984 yds/900m 80 Lbs Monofilament ø 0,85 mm
80/130	AL08500A	2,8:1	44 LBS	102.0 OZ/2900 g	1203 yds/1100m 80 LBS Monofilament ø 0,85 mm



Albacore

reels 2s



FEATURES:

LASER GRAPHICS

ERGONOMIC DESIGN

TWO SPEED SYSTEM

INFINITE ANTIREVERSE

ALUMINUM ANTICORODAL AL6082

5 STAINLESS STEEL BALL BEARINGS

DETAILS IN STAINLESS STEEL AISI 316

MONO DRAG DISC IN CARBON COMPOSITE

AVAILABLE BOTH RIGHT AND LEFT HAND VERSION

AVAILABLE IN 7 DIFFERENT COLORS AND CUSTOMIZED COMBINATIONS

MULTI DRAG DISC IN CARBON COMPOSITE ONLY FOR 130 2S MODEL

MASTERPIECES FOR THE ART OF FISHING

30 2S	ALT3000A	3,3:1 1,7:1	27 LBS	56.8 OZ/1610 g	601 yds/550m 30 Lbs Monofilament ø 0,57 mfm 405 yds/370m 50 Lbs Monofilament ø 0,68 mm
30W 2S	ALT3500A	3,3:1 1,7:1	27 LBS	58.2 OZ/1650 g	820 yds/750m 30 Lbs Monofilament ø 0,57 mm 525 yds/480m 50 Lbs Monofilament ø 0,68 mm
50 2S	ALT5000A	3,3:1 1,7:1	33 LBS	70.0 OZ/1980 g	875 yds/800m 50 LBS Monofilament ø 0,68 mm 547 yds/500m 80 LBS Monofilament ø 0,85 mm
50W 2S	ALT5500A	3,3:1 1,7:1	33 LBS	73.0 OZ/2070 g	1094 yds/1000m 50 LBS Monofilament ø 0,68 mm 656 yds/600m 80 LBS Monofilament ø 0,85 mm
80 2S	ALT8000A	3,0:1 1,4:1	44 LBS	103.3 OZ/2930 g	985 yds/900m 80 LBS Monofilament ø 0,85 mm
80W 2S	ALT8500A	3,0:1 1,4:1	44 LBS	117.3 OZ/3327 g	1203 yds/1100m 80 LBS Monofilament ø 0,85 mm
130 2S	ALT1300A	2,2:1 1,1:1	65 LBS	167.6 OZ/4750 g	930 yds/850m 130 LBS Monofilament ø 1,20 mm



personalizza il tuo mulinello customize your reel

1. Scegli il tuo mulinello.
2. Scegli una tra le 5 combinazioni della pagina accanto.
3. Scegli i colori dalla lista in basso: 2 colori per le combinazioni 1-2-3-4; i colori che preferisci per la combinazione 5.
4. Comunica la tua scelta al momento dell'ordine!
5. Se non sei ancora soddisfatto puoi aggiungere un'incisione gratuita sulla flangia inviando, insieme all'ordine, il tuo logo in formato .jpg o .pdf.



come ordinare how to order

COMBINAZIONE 1-2-3-4

Ordine online su www.alutecnos.it:

compila il form nella sezione personalizzazione.

Ordine tramite rivenditore:

indica il numero della combinazione e i colori da te scelti come da esempio seguente:

Combinazione 3: colore 1 blu, colore 2 nero.

COMBINAZIONE 5

Indica gli elementi da personalizzare come da codifica alla pagina seguente.

IMPORTANTE

I mulinelli della serie Gorilla e della serie Albacore possono differire per alcuni particolari per cui la codifica potrebbe subire delle variazioni. Ti invitiamo a fare sempre affidamento alla codifica presente sul form al link
www.alutecnos.it/servizi/personalizzazione

I colori indicati nella tabella sovrastante sono puramente indicativi, poichè leggere variazioni di colore sono da considerarsi una normale caratteristica del processo produttivo.

I mulinelli personalizzati richiedono un tempo di consegna maggiore.

1. Choose your reel.

2. Choose one of the 5 combinations of the next page.

3. Choose the color(s) you prefer from the list below: 2 colors for combinations 1-2-3-4; colors you prefer for combinations 5;

4. Communicate your choice when ordering!

5. If not satisfied add a free laser engraving on the side plate by sending, along with your order, your logo in .jpg or .pdf format.

COMBINATION 1-2-3-4

Order online at www.alutecnos.it:

fill the form in the customization section.

Order by reseller:

indicate the number of the combination and the colors you choose as the following example:

Combination 3: colour 1 blue, colour 2 black.

COMBINATION 5

Indicate the items to be customized as coded on the next page.

IMPORTANT

The reels of the Gorilla series and the Albacore series may differ for some details for which the coding may undergo variations. We invite you to always refer to the coding on the personalization form at
www.alutecnos.com/services/customization

The colors shown in the above table are purely indicative, as slight variations in color are to be considered a normal characteristic of the production process.

Customized reels require a longer delivery time.

combinazione 1 combination 1



combinazione 2 combination 2



combinazione 3 combination 3



combinazione 4 combination 4



combinazione 5 combination 5


Combinazione libera!

Puoi ordinare le parti che vuoi del colore che preferisci, utilizzando la codifica di seguito.

Free combination!

You can order the parts you want of the color you prefer, using the following coding.

1	Flangia Lato Ingranaggi <i>Right Side Plate</i>
2	Flangia Lato Frizione <i>Left Side Plate</i>
3	Leva Frizione <i>Drag Lever</i>
15	Ghiera Pre-Set <i>Pre-Set Knob</i>
24	Selettore Cicala <i>Buzzer Control</i>
29	Distanziale <i>Spacer</i>
33	Leva Azionamento <i>Crank Assembly</i>
38	Impugnatura <i>Knob Assembly</i>
44	Telaio <i>Frame</i>
47	Rocchetto <i>Spool</i>
75	Bloccetto Gruppo Pulsanti <i>Push Button Plate</i>



limited **edition**



Gorilla 30W 2S
SMOKED
BLACK

Be the only one, be the Angler.
Masterpieces for the Art of Fishing.

Innovazione, unicità, collezione. Questi sono i fondamenti su cui Alutecnos ha creato Gorilla 30W 2S SMOKED BLACK, un'edizione limitata di uno dei mulinelli più apprezzati in assoluto in 100 esemplari numerati e corredati di certificato di autenticità.

I nostri tecnici, unendo tenacia ed esperienza, hanno creato questa nuova finitura superficiale esclusiva, frutto di un insieme di 7 processi studiati e realizzati ad hoc per creare un prodotto unico.

SMOKED BLACK è ispirato al nerofumo, un colore unicamente opaco che allo stesso tempo, se colpito dalla luce, riflette la particolarità dell'effetto velluto.

L'equilibrio ottimale tra le caratteristiche tecniche della storica serie Gorilla e la nuova finitura opaca creata da Alutecnos, destinato ad entrare come pezzo da collezione esclusivo nella tua gamma di attrezzature.

Il connubio perfetto tra tradizione e innovazione.

Innovation, uniqueness, collection. These are the foundations on which Alutecnos has created the new Gorilla 30W 2S SMOKED BLACK, a limited edition of one of the most appreciated reels ever. It will be available in only 100 numbered pieces and accompanied by a certificate of authenticity.

Our technicians, combining tenacity and experience, have created this new exclusive surface finish, the result of a set of 7 processes designed and made "ad hoc" to create a unique product.

SMOKED BLACK is inspired by a special carbon black anodization, a uniquely opaque color that at the same time when struck by light reflects the peculiarity of the velvet effect.

The optimal balance between the technical characteristics of the historic Gorilla series and the new matte finish created by Alutecnos, intended to be a part of an exclusive collector's item.

The perfect combination of tradition and innovation.





SALTWATER FLY REELS

CODE	CLASS	LINE CAPACITY M/YD	WEIGHT
SFR060XD	60 DIRECT DRIVE	138 m/150 yds - 20 LBS MICRON - WF6F	212 g/7,5 OZ
SFR080XD	80 DIRECT DRIVE	183 m/200 yds - 20 LBS MICRON - WF8F	240 g/8,5 OZ
SFR100XD	100 DIRECT DRIVE	183 m/200 yds - 30 LBS MICRON - WF10F	269 g/9,5 OZ
SFR120XD	120 DIRECT DRIVE	275 m/300 yds - 30 LBS MICRON - WF12F	310 g/11,0 OZ

COLORI				COLORS									
black		red		silver		gun metal		blue		green		gold	





GORILLA RODS



ALBACORE RODS TROLLING



ALBACORE RODS STAND-UP

Gorilla

rods series

CODE	CLASS	FEATURES	LENGHT MM/FT
FRG006SA	6/12 LBS	Fuji Guides	2000/6.6'
FRG012SA	12/20 LBS	Fuji Guides	2000/6.6'
FRG020SA	20/30 LBS	Fuji Guides	2000/6.6'

Albacore rods

trolling

CODE	CLASS	FEATURES	LENGHT MM/FT
FR0020GA	20 LBS	Alutecnos removable rollers 5+top	2040/6.7'
FR0030GA	30 LBS	Alutecnos removable rollers 5+top	2080/6.8'
FR0050GA	50 LBS	Alutecnos removable rollers 5+top	2100/6.9'
FR0080GA	80 LBS	Alutecnos removable rollers 5+top	2180/7.2'
FR0130GA	130 LBS	Alutecnos removable rollers 5+top	2180/7.2'

Albacore rods

stand-up

CODE	CLASS	FEATURES	LENGHT MM/FT
FR0010SA	20/30 LBS	Alutecnos removable rollers 5+top	1760/5.7'
FR0020SA	20/50 LBS	Alutecnos removable rollers 5+top	1780/5.8'
FR0030SA	30/50 LBS	Alutecnos removable rollers 5+top	1800/5.9'
FR0040SA	40/80 LBS	Alutecnos removable rollers 5+top	1800/5.9'
FR0050SA	50/80 LBS	Alutecnos removable rollers 5+top	1800/5.9'
FR0080SA	80/130 LBS	Alutecnos removable rollers 5+top	1830/6.0'
FRB006SA	6/20 LBS	Silicon Carbide Guides + Alutecnos roller top	1750/5.7'
FRB020SA	20/50 LBS	Silicon Carbide Guides + Alutecnos roller top	1750/5.7'
FRA006SA	6/20 LBS	Silicon Carbide Guides	1750/5.7'
FRA012SA	12/30 LBS	Silicon Carbide Guides	1750/5.7'
FRA020SA	20/50 LBS	Silicon Carbide Guides	1750/5.7'

removable rollers



CODE	CLASS	FEATURES
------	-------	----------

RRR0200A **20/50 LBS** 1 double+4 intermediate+1 top

RRR0800A **80/130 LBS** 1 double+4 intermediate+1 top

*SPECIFICARE SEMPRE IL DIAMETRO INTERNO DELLA CONDOTTA DEL PUNTALE
PLEASE ALWAYS SPECIFY INNER DIAMETER OF ROLLER TOP PIPE*

CODE	CLASS	FEATURES
------	-------	----------

RRT0200A **12/20 LBS** roller top type 1

RRT0500A **30/50 LBS** roller top type 2

RRT0800A **80/130 LBS** roller top type 3

*SPECIFICARE SEMPRE IL DIAMETRO INTERNO DELLA CONDOTTA DEL PUNTALE
PLEASE ALWAYS SPECIFY INNER DIAMETER OF ROLLER TOP PIPE*

CODE	CLASS	FEATURES
------	-------	----------

RRM0200A **20/50 LBS** 1 intermediate roller

RRM0800A **80/130 LBS** 1 intermediate roller

CODE	CLASS	FEATURES
------	-------	----------

RRD0200A **20/50 LBS** 1 double roller

RRD0800A **80/130 LBS** 1 double roller

COLORI	COLORS
--------	--------



*LE DUE FACCE E L'ATTACCO DEI ROLLERS POSSONO ESSERE PERSONALIZZATI INDICANDO I COLORI AL MOMENTO DELL'ORDINE.
THE TWO FACES AND THE JOINT OF THE ROLLERS CAN BE CUSTOMIZED BY INDICATING THE COLORS WHEN ORDERING.*

reel seats

CODE	MODEL	TYPE	DIAMETER
------	-------	------	----------


PM00000A Portamulinello | *Reel seat* **0** 18 mm

PM01000A Portamulinello | *Reel seat* **1** 21,5 mm

PMS1000A Portamulinello con bicchiere | *Reel seat with ferrule* **1** 21,5 mm

PM02000A Portamulinello | *Reel seat* **2** 25 mm

COLORI	COLORS
--------	--------



*IL PORTAMULINELLO PUÒ ESSERE PERSONALIZZATO INDICANDO IL COLORE DEL TUBO E DEGLI ANELLI AL MOMENTO DELL'ORDINE.
THE REEL SEAT CAN BE CUSTOMIZED BY INDICATING THE COLOR OF THE TUBE AND RINGS WHEN ORDERING.*

TROLLING BUTTS



CODE	CLASS	MODEL	LENGHT MM/IN	I.D. FERRULE MM/IN	WEIGHT
MP01000A	4/30 LBS	Diritto <i>Straight</i>	481 mm/18.94"	19 mm/0,750"	470 g/16.5 OZ
MP01S00A	4/30 LBS	Corto <i>Short</i>	425 mm/16.73"	19 mm/0,750"	410 g/14.4 OZ
MP01SS0A	4/30 LBS	Ultracorto <i>Ultra-short</i>	394 mm/15.51"	19 mm/0,750"	380 g/13.0 OZ
MP02000A	30/50 LBS	Diritto <i>Straight</i>	506 mm/19.92"	22 mm/0,866"	670 g/23.6 OZ
MP02S00A	30/50 LBS	Corto <i>Short</i>	455 mm/17.91"	22 mm/0,866"	600 g/21.0 OZ
MP02SS0A	30/50 LBS	Ultracorto <i>Ultra-short</i>	428 mm/16.85"	22 mm/0,866"	570 g/20.0 OZ
MP02C00A	30/50 LBS	Curvo <i>Bent</i>	680 mm/26.77"	22 mm/0,866"	880 g/31.0 OZ
MP02CS0A	30/50 LBS	Curvo-Corto <i>Bent-Short</i>	480 mm/18.89"	22 mm/0,866"	620 g/21.9 OZ
MP03000A	80/130 LBS	Diritto <i>Straight</i>	577 mm/22.71"	25,4 mm/1,00"	790 g/27.9 OZ
MP03S00A	80/130 LBS	Corto <i>Short</i>	482 mm/18.97"	25,4 mm/1,00"	730 g/25.7 OZ
MP03C00A	80/130 LBS	Curvo <i>Bent</i>	723 mm/28.46"	25,4 mm/1,00"	1050 g/37.0 OZ
MP03CS0A	80/130 LBS	Curvo-Corto <i>Bent-Short</i>	505 mm/19.88"	25,4 mm/1,00"	770 g/27.1 OZ

COLORI

black



red



silver



gun metal



blue



green




gold



COLORS

I MANICI POSSONO ESSERE PERSONALIZZATI INDICANDO IL COLORE DEL TUBO E DEGLI ANELLI AL MOMENTO DELL'ORDINE.
THE REEL SEAT CAN BE CUSTOMIZED BY INDICATING THE COLOR OF THE TUBE AND RINGS WHEN ORDERING.



orange

CODE	MM	IN	LINE TEST	MT	YD
M100030A	0,56	0,022	30 LBS 15 KG	1000	1094
M100050A	0,73	0,028	50 LBS 24 KG	1000	1094
M100080A	0,90	0,035	80 LBS 37 KG	1000	1094

monofilament leader line

CODE	MM	IN	LINE TEST	MT	YD
TFP0040A	0,61	0,024	40 LBS 19 KG	25	27
TFP0050A	0,65	0,026	50 LBS 24 KG	25	27
TFP0060A	0,73	0,029	60 LBS 28 KG	25	27
TFP0080A	0,90	0,035	80 LBS 37 KG	25	27
TFP0100A	1,04	0,041	100 LBS 46 KG	25	27
TFP0130A	1,10	0,043	130 LBS 59 KG	25	27

fluorocarbon fishing line

CODE	MM	IN	LINE TEST	MT	YD
TNC0030A	0,51	0,020	30 LBS 15 KG	50	54
TNC0040A	0,61	0,024	40 LBS 19 KG	50	54
TNC0050A	0,69	0,027	50 LBS 24 KG	50	54
TNC0080A	0,84	0,033	80 LBS 37 KG	50	54
TNC0100A	0,94	0,037	100 LBS 46 KG	50	54

braided line



CODE	DIAMETER MM/IN	KG/LBS	MT/YDS
B050030X	0,300/0,012	14/30	500/546
B050040X	0,340/0,013	18/40	500/546
B050050X	0,380/0,015	23/50	500/546
B100030X	0,300/0,012	14/30	1000/1094
B100040X	0,340/0,013	18/40	1000/1094
B100050X	0,380/0,015	23/50	1000/1094

MAKO PLIERS



PZM3000A



PZM1001A



PZM1000A

CODE	MODEL
PZM1000A	Pinza in alluminio Mako <i>Mako aluminum pliers</i>
PZM1001A	Ganasce di ricambio (coppia) <i>Gripping jaws (pair)</i>
PZM3000A	Custodia in pelle con cordicella di sicurezza <i>Leather sheath with lanyard</i>



BAGS & COVERS

CODE	FEATURES	DIMENSION CM	WEIGHT KG/OZ
BGS1000A	Borsa piccola per attrezzatura (4 scatole) <i>Small storage bag (with 4 plastic boxes)</i>	24x38x32h	2,80/98,7
BGS3000A	Borsa per Jigging (1 scatola) <i>Jigging storage bag (with 1 plastic box)</i>	30x20x24h	1,75/61,7

CODE	FEATURES	WEIGHT G/OZ
RC00800A	Custodia in neoprene taglia XS <i>Neoprene reel cover size XS</i> 6-8 LBS class GORILLA 6V, 8V	35/1,2
RC01200A	Custodia in neoprene taglia S <i>Neoprene reel cover size S</i> 12-20 LBS class GORILLA 12, 12C, 12V, 20, 20V, 20V_2S, 20W/V_2S ALBACORE 12, 12 VELOCE, 20, 20 VELOCE	51/1,8
RC03000A	Custodia in neoprene taglia M <i>Neoprene reel cover size M</i> 30-30/50 LBS class GORILLA 30 2S, 30W 2S ALBACORE 30, 30/50, 30 2S, 30W 2S	71/2,5
RC05000A	Custodia in neoprene taglia L <i>Neoprene reel cover size L</i> 50-50/80 LBS class ALBACORE 50, 50/80, 50 2S, 50W 2S	100/3,5
RC08000A	Custodia in neoprene taglia XL <i>Neoprene reel cover size XL</i> 80-80/130 LBS class ALBACORE 80, 80/130, 80 2S, 80W 2S	130/4,6
RC13000A	Custodia in neoprene taglia XXL <i>Neoprene reel cover size XXL</i> 130 LBS class ALBACORE 130 2S	150/5,3

CODE	FEATURES	WEIGHT KG/OZ
RB01200A	Borsa in nylon per mulinello <i>Reel bag</i> 12-20 LBS class	0,250/8,8
RB03000A	Borsa in nylon per mulinello <i>Reel bag</i> 30-30/50 LBS class	0,340/12,0
RB05000A	Borsa in nylon per mulinello <i>Reel bag</i> 50-50/80 LBS class	0,360/12,7
RB08000A	Borsa in nylon per mulinello <i>Reel bag</i> 80-80/130 LBS class	0,450/15,9
RB13000A	Borsa in nylon per mulinello <i>Reel bag</i> 130 LBS class	0,570/20,0

BELTS & HARNESSES

CODE	FEATURES	WEIGHT G/OZ
PNS1000A	Pancerina portacanna <i>Fighting belt</i>	650/23.0
PNS2000A	Pancerina portacanna per Stand-Up <i>Stand-up fighting belt</i>	1330/47.1

CODE	FEATURES	WEIGHT G/OZ
SGM0100A	Giubbino renale <i>Fighting jacket</i>	800/28.2
SGM0200A	Cintura renale <i>Fighting harness</i>	630/22.2
SGM0300A	Cintura renale con seduta The Pro <i>Fighting harness The Pro</i>	950/39.0



SGM0300A



SGM0100A



PNS2000A



PNS1000A



SGM0200A

FIGHTING CHAIR

CODE	FEATURES	WEIGHT KG/OZ
CH05000A	Sedia da combattimento <i>Fighting chair</i>	10,90/385.0
CH05100A	Kit di fissaggio <i>Fastener kit</i>	0,55/19.4
CH05300A	Portacanna laterale <i>Rod holder</i>	0,72/25.3
CH05400A	Cuscino <i>Cushion</i>	0,70/24.7
CH05500A	Kit poggiapiedi <i>Foot rest kit</i>	10/352.7
CH05600A	Schienale <i>Back rest kit</i>	4,50/158.7



CH05000A




CH05300A



CH05400A



CH05100A



CH05500A



CH05600A

in vendita in esclusiva su
for sale exclusively on
WWW.ALUTECNOS.COM

ONLINE EXCLUSIVES

CODE	FEATURES
CH06100A	KIT STANDARD: Fighting chair Fastener kit 2 Rod holder Cushion
CH06200A	KIT COMFORT: Fighting chair Fastener kit 2 Rod holder Cushion Foot rest kit
CH06300A	KIT PLUS: Fighting chair Fastener kit 2 Rod holder Cushion Foot rest kit Back rest kit
SGMPNS2A	KIT THE PRO + STAND-UP BELT



CH06100A



CH06200A



SGMPNS2A



CH06300A

servizio clienti customer service

Alutecnos è riconosciuta in tutto il mondo come uno dei maggiori produttori di mulinelli per la pesca d'altura. Proprio per questo Alutecnos mette a disposizione la propria conoscenza per consigliare al cliente il prodotto più adatto in base alle sue esigenze.

Il nostro servizio clienti è disponibile per qualsiasi chiarimento o richiesta sui prodotti e sull'acquisto.

Alutecnos is recognized worldwide as one of the largest producers of reels for deep-sea fishing. For this reason, Alutecnos makes available its knowledge to advise the customer of the most suitable product according to its needs.

Our customer service is available for any clarification or request on products and purchase.

ALUTECNOS S.R.L.



Via Umbria, 20 | 35043 Monselice (PD) | ITALY



+39 0429 783355



+39 0429 75380



info@alutecnos.it



www.alutecnos.it

PANDORA HOLDING GROUP INC*



2144 NW 7th Avenue | 33127 Miami | FL



305 964 8092



sales@bluefinusa.com



www.alutecnos.com

Per acquistare direttamente i nostri mulinelli collegati alla sezione Prodotti del nostro sito all'indirizzo:
www.alutecnos.it/prodotti

oppure scopri il rivenditore più vicino a te dalla sezione Alutecnos Point all'indirizzo:
www.alutecnos.it/alutecnos-point

Verifica sul nostro sito, alla sezione FAQ, che il tuo Paese sia compreso nella lista delle Nazioni a cui effettuiamo la spedizione direttamente. Se non è presente, ti invitiamo a contattare un rivenditore di riferimento per la tua zona.

Prima di contattare il servizio clienti si prega di verificare se i contenuti presenti nel sito www.alutecnos.it o nel catalogo siano sufficienti a risolvere il caso da segnalare.

*To buy directly our reels, go to the products section of our website at:
www.alutecnos.com/products*

*or find the nearest retailer from the Alutecnos Point section at:
www.alutecnos.com/alutecnos-point*

Please check our website FAQ to verify if your country is included in the list of countries to which we ship directly. If not, please contact a local dealer.

***REFERENCE ONLY FOR USA AND SOUTH AMERICA**

Before contacting the customer service, please check whether the content on the site www.alutecnos.it or in the catalogue is enough to resolve the case to be reported.

manutenzione e riparazione maintenance and service

Il servizio di manutenzione e riparazione dei mulinelli è disponibile tutto l'anno presso la nostra sede.

Tutto ciò che devi fare è **compilare il form di manutenzione** al link **www.alutecnos.it/servizi/manutenzione**.

Successivamente sarai contattato dal nostro staff per essere informato sulla procedura da seguire.

The service of maintenance and repair of reels is available all year round at our premises.

*All you have to do is **to fill the maintenance form** at **www.alutecnos.com/services/maintenance**.*

Then you will be contacted by our staff to be informed about the procedure to follow.



Se hai bisogno di ordinare un pezzo di ricambio segui questi passaggi:

1. scarica il foglio di manutenzione relativo al tuo mulinello al link **www.alutecnos.it/download**;
2. individua il numero del ricambio di cui necessiti;
3. effettua l'ordine del ricambio tramite mail a **info@alutecnos.it** specificando il numero del ricambio, il colore, il modello e la matricola del tuo mulinello.

If you need to order a spare part please follow these steps:

1. *Download the maintenance sheet for your reel at **www.alutecnos.com/download**;*
2. *Identify the number of the spare parts you need;*
3. *place the order of the replacement by e-mail to **info@alutecnos.it** specifying the spare part number, color, model and serial number of your reel.*

S P A R E P A R T S

I pezzi di ricambio arriveranno presto su

WWW.ALUTECNOS.COM

Un nuovo modo per ottenere i tuoi ricambi: scegli il tuo codice, la dimensione, il colore e sei pronto a dare una nuova vita al tuo mulinello!

Spare parts will land soon on

WWW.ALUTECNOS.COM

A new way to get your spare parts: choose your part, choose the size, choose the color and you are ready to give your reel a new life!





MASTERPIECES FOR THE ART OF FISHING

